VISCOWAX[®] PRODUCT DATA SHEET VISCOWAX[®] 516MA

High-quality maleinated (MAH) polyethylene wax

Typical Properties

Appearance	White, fine grain	
MAH content	0.5 %	
Viscosity @ 140°C	800 mm²/s	DGF M-III 8
Drop point	117 °C	DGF M-III 3
Needle penetration	$1\cdot 10^{-1}\text{mm}$	DGF M-III 9b
Density	0.94 g/cm³	DIN EN ISO 1183, C

Form of Delivery, Packaging and Storage

VISCOWAX[®] 516MA is shipped as dust-free powder in PE bags of 25 kg net. The product is palletized (preferably 750 kg net) on CP2-pallets (1200 mm x 800 mm) which are stretch wrapped.

Big bags of different sizes up to 1000 kg net palletized on CP3-pallets (1140 mm x 1140 mm) are also available.

The product shall be stored in its original packaging at room temperature in a dry place. It must not be stored together with amines. Avoid direct sun radiation and water contact.

Safety and Environment

Please refer to our Safety Data Sheet for safety relevant information.

Status under Food Legislation

Regarding the status under different food contact legislation please contact us for more information.

Main scope of applications and effects

Coatings

adhesion

additives

Increased metal surface

• Coupling agent for PE-based

• Integration of polar inorganic

glass, fibers and also liquid

fillers into non-polar resins, e.g.

wood-plastic composites

Abrasion prevention

Plastic compounds

Hotmelts

- Excellent balance of high heat resistance and cold adhesion
- Improved hardening and fast setting speed

Pigment concentrates

- Improved wetting and dispersion of polar pigments and additives
- Allows incorporation of heave to disperse pigments, e.g. Pigment Green 7 or Red 122

Innospec's ESG Program



For more information contact us today: leuna@innospecinc.com Contact details for all Innospec Sales managers are available on our website: www.viscowax.com

Innospec

Innospec is a global specialty chemical company. We provide innovative products, combined with excellent customer service and technical support. Our outstanding R&D capabilities have meant that we've been successful in bringing new technologies to market which allow our customers to improve their products and develop sustainable solutions for their chosen markets. Our business has a Sustainability strategy and we are investing and supporting products which help to reduce the carbon footprint of the global road, rail, marine and aviation transportation sectors and industrial applications.

We recognize that being a responsible business is key to our continued success. For us, it is an ongoing journey of progress and improvement.



May 2025

The information contained in this sheet is provided free of charge and is based on technical data that Innospec believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. We make no warranties, express or implied, and assume no liability in connection with any of this information as the conditions of use are outside our control. In addition, none of the contents of this publication should be taken as a licence to operate under, or a recommendation to infringe any patent.

innospec >>

The first choice for polyethylene and EVA waxes